REVISIONS This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR. DESCRIPTION INITIAL APPROVED REV ECR DATE 2X .75 2X GRIND ENDS FLUSH NOTES: 1. REF. BELL T/N: T103260-105. 2. ALSO PART OF PULLER SET RBT400275. ENGRAVE T/N, S/N, "MADE IN USA"



BEARING BLOCK ASSY.

DWG NO. RB T103260-105

DATE

MAT'L DRAWN BY:

TITLE

SCALE

1:1

CAD PLATE YELLOW 1. BREAK ALL SHARP EDGES .015 x 45° QQ-P-416F, TYPE II, CLASS II OR .015R USED ON MODEL

2. DIMENSIONAL LIMITS APPLY AFTER PLATING

BELL 430 7/14/2014 SHEET 1 OF 3

CLOUGH


REV


REVISIONS This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR. ECR DESCRIPTION DATE INITIAL APPROVED (.625) 2.00 **-** 1.00 **-**.75 R.31 1.50 12X .02 X 45°-- Ø.69 TITLE BEARING BLOCK ASSY. DWG NO. REV RB T103260-105-1 MAT'L 4140 DRAWN BY: CLOUGH UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES


.XXX ± .005 FRACTIONS ± 1/32 TREAT
.XX ± .01 ANGLES ± .5° FINISH
.X ± .1 SPEC RC 34-38 SEE SHEET 1 OF 3 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING USED ON MODEL **BLOCK** BELL 430 SCALE DATE 7/14/2014 SHEET 2 OF 3 1:1


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

		REVISIONS			
REV	ECR	DESCRIPTION	DATE	INITIAL A	PPROVED











PIN